

LDV is a division of SAIC Motor, which is a Fortune Global 500 company and the 7th largest automotive company in the world¹. SAIC Motor sells over 5 million vehicles annually and has joint ventures with Volkswagen and General Motors. In 2009 SAIC Motor acquired the commercial vehicles division of British Motor Corporation which included LDV.



LDV D90 SUV			UTIVE	EXECUTIVE
MODEL	2WD	2WD	4WD	4WD
Engine	1			
Туре		2.0L Turk	oocharged	T
Maximum Power (kW/rpm)		160/5300		158
Maximum Torque (Nm/rpm)	3!	50/2500-350	00	480
Displacement (cc)		1995		1996
Compression Ratio		10:1		15:9:1
No. of Valves		16		
No. of Cylinders		4		4
Bore x stroke (mm)		88 x 82	T	83 x 92
Drivetrain	RWD	RWD	4WD with Terrain Selection	4WD with Terrain Selection
Gearbox	6	5-speed Aut	0	8-speed Auto
1st	4.065	4.065	4.065	5.0
2nd	2.371	2.371	2.371	3.2
3rd	1.551	1.551	1.551	2.143
4th	1.157	1.157	1.157	1.720
5th 6th	0.853	0.853	0.853	1.314
6th 7th	0.674	0.674	0.674	1.0 0.822
8th	_	_	_	0.622
Reverse	3.2	3.2	3.2	3.456
Low Range	-	-	2.48:1	2.48:1
Steering and Suspens	ion			
Steering column – Height adjustable	1	-	-	-
Steering column – Height and Reach adjustable	-	1	1	1
Selectable Driving Modes - Normal, Sport and Eco	1	1	1	1
Selectable Driving Modes – Rock, Mud, Sand and Snow	-	_	1	1
Front Suspension – Double-wishbone	1	1	/	1
Rear Suspension – Five Link Coil Spring	1	1	1	1
Wheel Dimensions	Light Alloy 7.5Jx18	Lig	k19	
Tyre Dimensions	255/60R18			
Spare Wheel and Tyre		Steel 7Jx17	7 245/65R17	
Fuel and Emissions				
Fuel Tank (Litres)		-	75	
Combined Fuel Consumption (L/100km) ²	10.2	10.2	10.9	9.1
Emissions standard	220		ro 5	220
CO ₂ Emissions g/km	238	238	255	238
Dimensions, Capacitie	1		EOOF	EOOE
Overall Length (mm) Overall Height (mm)	5005 1875	5005 1875	5005 1875	5005 1875
Overall Width (mm)	1932	1932	1932	1932
Wheelbase (mm)	2950	2950	2950	2950
Ground clearance (unladen) (mm)	210	210	210	210
Front track/Rear track		1600)/1620	
(mm) Front Overhang (mm)	935	935	935	935
Rear Overhang (mm)	1120	1120	1120	1120
Turning Circle (kerb to kerb) (metres)	12	12	12	12
kerb) (metres)				

LDV DOO CHV		DIESEL				
LDV D90 SUV MODEL	2WD	EXECU 2WD	JTIVE 4WD	EXECUTIVE 4WD		
Departure angle (unladen,	25	25	25	25		
degrees) Wading depth (mm)	550	550	550	550		
Ramp breakover angle						
degrees)	20	20	20	20		
Front headroom (mm)	1022	1015	1015	1015		
ront legroom (mm)	1053	1053	1053	1053		
Front shoulder room mm)	1523	1523	1523	1523		
2nd row headroom (mm)	1002	1002	1002	1002		
2nd row legroom (mm)	1003	1003	1003	1003		
2nd row shoulder room mm)	1532	1532	1532	1532		
Brd row seat, shoulder coom (mm)	1423	1423	1423	1423		
Brd row seat, leg room mm)	767	767	767	767		
Brd row seat, head room mm)	955	955	955	955		
Seats, number	7	7	7	7		
oad Space Volume (litres)					
2nd and 3rd row seats up	343	343	343	343		
Brd row seats folded, second row up	1350	1350	1350	1350		
2nd and 3rd row seats olded	2382	2382	2382	2382		
Cargo area length (mm) – Brd row, 3rd row seats folded, 2nd & 3rd row seats folded	412/1140/1800					
Cargo area height (mm)	833	833	833	833		
Cargo area width between wheel arches (mm)	1248	1248	1248	1248		
Rear hatch opening height mm)	1889	1889	1889	1889		
Rear hatch opening width mm)	1268	1268	1268	1268		
Gross Combined Vehicle Mass (kg)	4800	4900	4960	6200		
GVM (kg)	2800	2900	2960	3100		
Payload (kg) ³	670	690	630	730		
Tare Weight (kg)	2085	2085	2285	2370		
Axle Load Capacity – Rear (kg)	1070	1110	1150	1160		
Axle (front)	1060	1100	1180	1260		
Fowing Capacity – Braked (kg)	2000	2000	2000	3100		
Max tow ball down weight kg)	200	200	200	310		
Fowing Capacity – Jnbraked (kg)	750	750	750	750		
Safety, Security and D	river Assis	tance				
Inch Multifunction nstrument Display	-	1	1	1		
Digital Instrument Cluster	√	-	-	_		
Smart Key	1	1	1	1		
Airbags (6) – Driver and front passenger airbags 2), sidebags (2), full length turtainbags (2)	√	1	1	1		
Child Seat anchoring – SOFIX + Top Tether 3 in second row)	/	1	1	1		
Daytime running lights - LED	1	1	1	1		
Anti-lock Braking System ABS)	1	1	1	1		
Autonomous Emergency Braking (AEB)	1	/	1	/		
Electronic Brake-force Distribution (EBD)	1	1	1	1		
` /	I	I	<u> </u>	<u> </u>		

PETROL

DIESEL

	PETROL			DIESEL	
LDV D90 SUV MODEL			UTIVE 4WD	EXECUTIVE 4WD	
Electronic Stability Program (ESP)	1	1	1	1	
Electronic Brake Assist	/	/	/	/	
(EBA) Front Collision Warning	/	/	/	/	
(FCW) ⁴ Hill Descent Control (HDC)		-			
Hill-start Assist System	1	/	<i>y</i>	/	
(HAS)				/	
Blind Spot Monitor ⁴ Fatigue Reminder and	<i>J</i>	/	/	/	
Fatigue Reminder and Attention Assist ⁴ Lane Departure Warning		/	/	/	
(LDW) ⁴	1	1	1	/	
Roll Movement Intervention (RMI)	1	1	1	1	
Traction Control System (TCS)	1	1	1	/	
Traffic Sign Recognition (TSR) ⁴	/	/	1	/	
Vehicle Dynamics Control (VDC)	/	/	/	/	
Electric Parking Brake	/	/	/	1	
Electronic Differential	_	_	/	_	
Lock (EDL) Engine Immobiliser	/	/	/	/	
Engine Start/Stop System	1	1	1	/	
Fog lamps – Front and Rear	1	1	1	/	
Keyless Entry and Start	1	/	1	/	
Parking sensors – Front and Rear	1	1	1	1	
Reversing Camera	1	1	1	/	
Tyre Pressure Display and Monitoring System (TPMS)	/	/	/	1	
Paddle Shifts for Gears	_	_	_	/	
Exterior			ı		
Door Mirrors –	/	/	/	/	
Electronically folding Door Mirrors – Heated	/	/	/	1	
LED Headlights	1	1	1	1	
Luggage Rails ⁶	1	1	1	1	
Puddle Door Lights	_	1	1	1	
Rain Sensing Windscreen Wipers	1	1	1	1	
Side steps	1	1	1	1	
Sunroof	-	1	1	1	
Comfort and Convenie	ence				
12V Power outlet, Max 120W (Three sockets)	1	1	1	1	
220V Power outlet, Max 150W (One socket)	1	1	1	/	
Adaptive Cruise Control	/	/	/	1	
Air Conditioning – Multi Zone Climate Control	_	/	/	1	
Air Conditioning – Manual	/		_		
Dual Zone					
Ambient Lighting	-	1	✓ ✓	/	
Luggage Storage Box Multifunction steering	/	_	_		
wheel Multifunction steering	•				
wheel – Leather ⁵	-	/	✓	1	
Rear View Mirror – Manual Dimming	1	✓	✓	1	
Tailgate – Manual	1	-	-	-	
Tailgate – Electric Easy Open/Close	_	1	1	1	
Heated Steering Wheel	_	-	_	/	

	PETROL			DIESEL
LDV D90 SUV MODEL	2WD	EXEC 2WD	UTIVE 4WD	EXECUTIVE 4WD
Seating			1	'
7 Seats	/	1	/	/
Cup Holders – First and Second Row	1	1	1	1
Driver's Seat – 6 way Manual Adjustment	1	_	-	-
Driver's Seat – 8 way Electronic Adjustment, 4 way Lumbar Support Adjustment	-	1	/	1
Front Passenger Seat – 4 way Manual Adjustment	1	1	1	1
Artificial Leather with Cloth inserts on all rows	✓	_	-	_
Seat Material – Leather Trim First and Second Rows, Artificial Leather Third Row ⁵	-	1	/	1
Audio and Communicat	tion			
6 Speakers	✓	_	_	_
8 Speakers	-	1	1	1
12 Inch Touch Screen Entertainment System	1	1	1	1
Radio, Bluetooth and MP5	✓	1	1	1
Apple CarPlay [®] / Smartphone Connectivity	✓	1	1	1
USB Ports (3 – Centre console, centre armrest and left rear side armrest)	1	1	1	1
Warranty ⁸				
5 year/130,000km (whichever occurs first) Warranty	1	1	1	1
5 year/130,000km (whichever occurs first) Roadside Assist	1	1	1	1
Servicing				
First Scheduled Service Free ⁹ (6 months or 5,000km, whichever comes first)	-	-	-	1

- Fuel consumption figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.
- 3. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.
- 4. Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a subsitute for the the driver's control over the vehicle. See owner's manual for complete details.
- 5. Leather accented features and upholstery contain some synthetic materials.
- 6. Maximum of 75kg weight.
- 8. Subject to terms, conditions and exclusions at Idvautomotive.com.au
- 9. It is the owner's responsibility to present the vehicle at an authorised LDV dealership for the service within +/- 60 days or 1,500kms of the first scheduled service interval (being 5,000kms or 6 months from the date of first registration (whichever comes first)). The scheduled service excludes fair wear and tear items and any additional work or components required that are not set out in the service schedule located in the owners service and warranty booklet. Not transferrable or redeemable for cash.

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.





