

T60 MAX



LDV is a division of SAIC Motor, which is a Fortune Global 500 company and the 8th largest automotive company in the world¹. SAIC Motor sells over 5 million vehicles annually and has joint ventures with Volkswagen and General Motors. In 2009 SAIC Motor acquired the commercial vehicles division of British Motor Corporation which included LDV.

1. 2021 Fortune Global 500.



LDV T60 MAX – TECHNICAL SPECIFICATIONS

LDV T60 MAX

MY2022				MY2023			
PRO		LUXE		PRO		LUXE	
Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto

Engine

	2.0 L Bi-Turbo Diesel Euro V Engine				2.0 L Bi-Turbo Diesel Euro V Engine			
Type	2.0 L Bi-Turbo Diesel Euro V Engine				2.0 L Bi-Turbo Diesel Euro V Engine			
Maximum Power (kW/rpm)	160 @ 4000				160 @ 4000			
Maximum Torque (Nm/rpm)	500 @ 1500-2400				500 @ 1500-2400			
Displacement (cc)	1996				1996			
Transmission	6SPD Manual	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto
Compression Ratio	15:9:1	15:9:1	15:9:1	15:9:1	15:9:1	15:9:1	15:9:1	15:9:1
No. of Valves	16	16	16	16	16	16	16	16
No. of Cylinders	4	4	4	4	4	4	4	4
Bore x Stroke (mm)	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92
Manual Shift Mode for Auto Models	-	✓	-	✓	-	✓	-	✓
Eco/Power Mode	-	✓	-	✓	-	✓	-	✓
Intelligent Real Time Torque on Demand	✓	✓	✓	✓	✓	✓	✓	✓
2WD and 4WD high and low selector	✓	✓	✓	✓	✓	✓	✓	✓

Ratios

1st	4.657	5.000	4.657	5.000	4.657	5.000	4.657	5.000
2nd	2.594	3.200	2.594	3.200	2.594	3.200	2.594	3.200
3rd	1.714	2.143	1.714	2.143	1.714	2.143	1.714	2.143
4th	1.231	1.720	1.231	1.720	1.231	1.720	1.231	1.720
5th	1.000	1.314	1.000	1.314	1.000	1.314	1.000	1.314
6th	0.806	1.000	0.806	1.000	0.806	1.000	0.806	1.000
7th	N/A	0.822	N/A	0.822	N/A	0.822	N/A	0.822
8th	N/A	0.640	N/A	0.640	N/A	0.640	N/A	0.640
Reverse	4.252	3.456	4.252	3.456	4.252	3.456	4.252	3.456
Final Drive	3.818	4.100	3.818	4.100	3.818	4.100	3.818	4.100
Low Range	2.480	2.480	2.480	2.480	2.480	2.480	2.480	2.480

MY2022				MY2023			
PRO		LUXE		PRO		LUXE	
Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto

Steering, Suspension and Brakes

Steering – Rack and Pinion Hydraulic Power Assisted	✓	✓	✓	✓	✓	✓	✓	✓
Front Suspension – Double-Wishbone (Heavy Duty)	✓	✓	-	-	✓	✓	-	-
Front Suspension – Double-Wishbone (Comfort)	-	-	✓	✓	-	-	✓	✓
Rear Suspension – Leaf-Spring (Heavy Duty)	✓	✓	-	-	✓	✓	-	-
Rear Suspension – Leaf-Spring (Comfort)	-	-	✓	✓	-	-	✓	✓
Brakes – Front, disc	✓	✓	✓	✓	✓	✓	✓	✓
Brakes – Rear, disc	✓	✓	✓	✓	✓	✓	✓	✓
Wheels and Tyres	17" x 7J Alloy Wheels with 245/65 R17 Tyres						19" x 7J Black Alloy Wheels with 255/55 R19 Tyres	
Spare Wheel	Steel 245/65R17						Steel 245/65R17	

Fuel and Emissions

	73				73			
Fuel Tank (Litres)	73				73			
Combined Fuel Consumption, L/100km ²	9.2	9.3	9.2	9.3	9.2	9.3	9.2	9.3
Carbon Dioxide Emissions (g/km)	243	244	243	244	243	244	243	244
Emissions Standard	Euro 5				Euro 5			

LDV T60 MAX

MY2022				MY2023			
PRO		LUXE		PRO		LUXE	
Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto

MY2022				MY2023			
PRO		LUXE		PRO		LUXE	
Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto

Capacities, Dimensions and Weights


Approach Angle (unladen, degrees)	27	27	27	27	27	27	27	27
Departure Angle (unladen, degrees)	24.2	24.2	24.2	24.2	24.2	24.2	24.2	24.2
Front Overhang (mm)	942	942	942	942	942	942	942	942
Front Track/Rear Track (mm)	1580/1580				1580/1580			
Ground Clearance (unladen) (mm)	215	215	215	215	215	215	215	215
Overall Length (mm)	5365	5365	5365	5365	5365	5365	5365	5365
Overall Height (without Roof Rails) (mm)	1809	1809	1809	1809	1809	1809	1809	1809
Overall Width (Exterior Mirrors extended) (mm)	2145	2145	2145	2145	2145	2145	2145	2145
Overall Width (Exterior Mirrors folded) (mm)	1900	1900	1900	1900	1900	1900	1900	1900
Rear Overhang (mm)	1268	1268	1268	1268	1268	1268	1268	1268
Ramp Breakover Angle (degrees)	21.3°	21.3°	21.3°	21.3°	21.3°	21.3°	21.3°	21.3°
Turning Circle (kerb to kerb) (m)	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6
Wading Depth (mm)	550	550	550	550	550	550	550	550
Wheelbase (mm)	3155	3155	3155	3155	3155	3155	3155	3155
Tub Box Width - Pick-Up Box (mm)	1510	1510	1510	1510	1510	1510	1510	1510
Tub Box Width of Rear Opening (mm)	1430	1430	1430	1430	1430	1430	1430	1430
Tub Height - at Centreline of Axle (mm)	530	530	530	530	530	530	530	530
Tub Length - at Floor (mm)	1485	1485	1485	1485	1485	1485	1485	1485
Tub Length - Top of Box (mm)	1525	1525	1525	1525	1525	1525	1525	1525
Tub Width - Between Wheel Arches (mm)	1131	1131	1131	1131	1131	1131	1131	1131
Axle Load Capacity - Front (kg)	1320	1330	1360	1360	1320	1330	1360	1360
Axle Load Capacity - Rear (kg)	1730	1720	1540	1540	1730	1720	1540	1540
Gross Combined Vehicle Mass (kg)	6050	6050	5900	5900	6050	6050	5900	5900
Gross Vehicle Mass (kg)	3050	3050	2900	2900	3050	3050	2900	2900
Kerb Weight (kg) ³	2115	2125	2150	2150	2115	2125	2150	2150
Payload (kg) ³	935	925	750	750	935	925	750	750
Towing Capacity - Braked (kg)	3000	3000	3000	3000	3000	3000	3000	3000
Max tow ball down weight (kg)	300	300	300	300	300	300	300	300
Towing Capacity - Unbraked (kg)	750	750	750	750	750	750	750	750
2nd Row Headroom (mm)	980	980	980	980	980	980	980	980
2nd Row Legroom (mm)	958	958	958	958	958	958	958	958

2nd Row Shoulder Room (mm)	1463	1463	1463	1463	1463	1463	1463	1463
Front Headroom (mm)	1010	1010	1010	1010	1010	1010	1010	1010
Front Legroom (mm)	1053	1053	1053	1053	1053	1053	1053	1053
Front Shoulder Room (mm)	1483	1483	1483	1483	1483	1483	1483	1483

Exterior Colours



Interior Colours



LDV T60 MAX

	MY2022				MY2023			
	PRO		LUXE		PRO		LUXE	
	Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto
Comfort and Convenience								
Steering column – Height adjustable	✓	✓	✓	✓	✓	✓	✓	✓
12V Power Outlet (1)	✓	✓	✓	✓	✓	✓	✓	✓
Air Conditioning – Climate Control	✓	✓	✓	✓	✓	✓	✓	✓
Cruise Control	✓	✓	✓	✓	✓	✓	✓	✓
Rear View Mirror – Auto Dimming	-	-	✓	✓	-	-	✓	✓
Rear View Mirror – Manual Dimming	✓	✓	-	-	✓	✓	-	-
Multifunction Steering Wheel	✓	✓	✓	✓	✓	✓	✓	✓
Paddle Shifts for Gears	-	-	-	-	-	✓	-	✓
Sunglass Holder	✓	✓	✓	✓	✓	✓	✓	✓
Cup Holder (4)	✓	✓	✓	✓	✓	✓	✓	✓

Seating

5 Seats	✓	✓	✓	✓	✓	✓	✓	✓
Driver's Seat – 6 way Manual adjustment	✓	✓	-	-	✓	✓	-	-
Passenger's Seat – 4 way Manual adjustment	✓	✓	-	-	✓	✓	-	-
Front Row Seats – 6 way Electronic adjustment with Heating	-	-	✓	✓	-	-	✓	✓
Cloth Seats	✓	✓	-	-	✓	✓	-	-
Leather Trimmed Seats ⁶	-	-	✓	✓	-	-	✓	✓

Audio and Communication

6 Speakers	✓	✓	✓	✓	✓	✓	✓	✓
10.25 Inch Touch Screen Entertainment System	✓	✓	✓	✓	✓	✓	✓	✓
AM/FM Stereo Radio, Bluetooth and MP5	✓	✓	✓	✓	✓	✓	✓	✓
Apple CarPlay® / Smartphone Connectivity	✓	✓	✓	✓	✓	✓	✓	✓
USB Ports (2)	✓	✓	✓	✓	✓	✓	✓	✓

Warranty⁷

	MY2022				MY2023			
	PRO		LUXE		PRO		LUXE	
	Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto
New Vehicle Warranty – 5 year/130,000km (whichever occurs first) ⁷	✓	✓	✓	✓	-	-	-	-
New Vehicle Warranty – 7 year/200,000km (whichever occurs first) ⁷	-	-	-	-	✓	✓	✓	✓
Roadside Assist – 5 year/Unlimited km (whichever occurs first) ⁷	✓	✓	✓	✓	✓	✓	✓	✓

Disclaimers:

- Fuel consumption figures according to ADR 81/02 derived from laboratory testing. Factors including but not limited to driving style, road and traffic conditions, environmental influences, vehicle condition and accessories fitted, will in practice in the real world lead to figures which generally differ from those advertised. Advertised figures are meant for comparison amongst vehicles only.
- Payload and kerb weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; compliance to State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Kerb weight includes the vehicle with a full tank of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and kerb weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.
- Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details.
- Self engages when required under 30 km/h.
- Leather accented features and upholstery contain some synthetic materials.
- Subject to terms, conditions and exclusions at ldvautomotive.com.au

All information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so, shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



Find your nearest dealer at ldvautomotive.com.au
to arrange a quote or book a test-drive.

Ateco Automotive Pty Ltd ABN 34 000 486 706

All the information in this document is correct at time of publication however variations may occur from time to time and Ateco Automotive Pty Ltd insofar as is permitted by law to do so shall not be liable in any way as a result of any reliance by any person on anything contained in this document.



LDV

ldvautomotive.com.au

Ateco Automotive ABN 34 000 486 706

November 2022 / 13540 / LDV0204