



NISSAN MY21 NAVARA DUAL CAB SPECIFICATIONS

Specifications

	Dual Cab SL Pick Up 4x2 Manual	Dual Cab SL Pick Up 4x2 Auto	Dual Cab ST Pick Up 4x2 Auto	Dual Cab ST-X Pick Up 4x2 Auto	Dual Cab SL Cab Chassis 4x4	Dual Cab SL Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4	Dual Cab PRO-4X Pick Up 4x4*
Powertrain									
YS23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC	•	•	•	•	•	•	•	•	•
YS23DDT 2.3 litre intercooled single turbo-diesel, DOHC	•								
Displacement (cc)	2,298	2,298	2,298	2,298	2,298	2,298	2,298	2,298	2,298
Bore x stroke (mm)	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3
Maximum power (kw@rpm)	120 @ 3,750	140 @ 3,750	140 @ 3,750	140 @ 3,750	140 @ 3,750	140 @ 3,750	140 @ 3,750	140 @ 3,750	140 @ 3,750
Maximum torque (Nm@rpm)	403 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500
Common rail direct injection	•	•	•	•	•	•	•	•	•
Transmission									
6-speed manual	•								
7-speed automatic with manual mode		•	•	•	Opt	Opt	Opt	Opt	Opt
Transfer case - Dual range 4x4 with electronic 4WD selection					•	•	•	•	•
Ratio 1st (manual/automatic)	4.685	4.887	4.887	4.887	4.685 / 4.887	4.685 / 4.887	4.685 / 4.887	4.685 / 4.887	4.685 / 4.887
Ratio 2nd (manual/automatic)	2.479	3.170	3.170	3.170	2.479 / 3.170	2.479 / 3.170	2.479 / 3.170	2.479 / 3.170	2.479 / 3.170
Ratio 3rd (manual/automatic)	1.624	2.027	2.027	2.027	1.624 / 2.027	1.624 / 2.027	1.624 / 2.027	1.624 / 2.027	1.624 / 2.027
Ratio 4th (manual/automatic)	1.208	1.412	1.412	1.412	1.208 / 1.412	1.208 / 1.412	1.208 / 1.412	1.208 / 1.412	1.208 / 1.412
Ratio 5th (manual/automatic)	1.000	1.000	1.000	1.000	1.000 / 1.000	1.000 / 1.000	1.000 / 1.000	1.000 / 1.000	1.000 / 1.000
Ratio 6th (manual/automatic)	0.809	0.864	0.864	0.864	0.809 / 0.864	0.809 / 0.864	0.809 / 0.864	0.809 / 0.864	0.809 / 0.864
Ratio 7th (automatic)	-	0.775	0.775	0.775	0.775	0.775	0.775	0.775	0.775
Ratio Reverse (manual/automatic)	4.709	4.041	4.041	4.041	4.709 / 4.041	4.709 / 4.041	4.709 / 4.041	4.709 / 4.041	4.709 / 4.041
Final drive (manual/automatic)	3.692	3.357	3.357	3.357	3.692 / 3.357	3.692 / 3.357	3.692 / 3.357	3.692 / 3.357	3.692 / 3.357
Transfer ratio - low					2.717	2.717	2.717	2.717	2.717
Transfer ratio - high					1.000	1.000	1.000	1.000	1.000
Dimensions									
Overall length (mm)	5,260	5,260	5,260	5,311	5,260	5,260	5,260	5,311	5,311
Overall width (excl. side mirrors) (mm)	1,850	1,850	1,850	1,850	1,850	1,850	1,850	1,850	1,875
Overall height (mm)	1,810	1,810	1,810	1,815	1,825	1,825	1,825	1,830	1,855
Wheelbase (mm)	3,150	3,150	3,150	3,150	3,150	3,150	3,150	3,150	3,150
Track front/rear (mm)	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570
Min. turning circle (kerb to kerb) (m)	12.6	12.6	12.6	12.6	12.5	12.5	12.5	12.5	12.5
Ground clearance unladen (mm)	213	213	213	214	220	220	220	224	220
Overhang - front (mm)	885	885	885	885	885	885	885	885	885
Overhang - rear (mm)	1,225	1,225	1,225	1,225	-	1,225	1,225	1,225	1,225
Approach angle (degrees)	31.1	31.1	31.1	31.8	32.4	32.0	32.0	32.7	32.0
Departure angle (degrees)	25.3	25.3	25.3	19.6	26.8	26.0	26.0	20.3	19.8
Ramp breakover angle (degrees)	21.8	21.8	21.8	22.1	22.0	22.9	22.9	23.2	22.9
Wading depth (mm)	600	600	600	600	600	600	600	600	600
Cargo Bed - length floor (mm)	1,509	1,509	1,509	1,509	-	1,509	1,509	1,509	1,509
Cargo Bed - length top (mm)	1,469	1,469	1,469	1,469	-	1,469	1,469	1,469	1,469
Cargo Bed - width floor (mm)	1,560	1,560	1,560	1,560	-	1,560	1,560	1,560	1,560
Cargo Bed - width top (mm)	1,490	1,490	1,490	1,490	-	1,490	1,490	1,490	1,490
Cargo Bed - width between wheel arches (mm)	1,134	1,134	1,134	1,134	-	1,134	1,134	1,134	1,134
Cargo Bed - tailgate opening width (mm)	1,360	1,360	1,360	1,360	-	1,360	1,360	1,360	1,360
Cargo Bed - height (mm)	519	519	519	519	-	519	519	519	519

NISSAN MY21 NAVARA DUAL CAB SPECIFICATIONS

Specifications

	Dual Cab SL Pick Up 4x2 Manual	Dual Cab SL Pick Up 4x2 Auto	Dual Cab ST Pick Up 4x2 Auto	Dual Cab ST-X Pick Up 4x2 Auto	Dual Cab SL Cab Chassis 4x4	Dual Cab SL Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4	Dual Cab PRO-4X Pick Up 4x4 ^P
Weights									
Gross Vehicle Mass (GVM ¹) (kg)	3,070	3,070	3,070	3,070	2,910	3,150	3,150	3,150	3,150
Gross Combined Mass (GCM ¹) (kg)	5,910	5,910	5,910	5,910	5,910	5,910	5,910	5,910	5,910
Kerb mass- manual/automatic (kg) +5kg with leather-accented ¹ /power/heated seat option ¹ on ST-X +11kg with sunroof option pack on ST-X	1,924	1,950	1,978	2,059	1,891 / 1,900	2,024 / 2,033	2,053 / 2,062	2,134 / 2,142	2,137 / 2,146
Payload ⁴ manual/automatic (kg) -5kg with leather-accented ¹ /power/heated seat option on ST-X -11kg with sunroof option pack on ST-X	1,146	1,120	1,092	1,027	1,019 / 1,010	1,126 / 1,117	1,097 / 1,088	1,032 / 1,024	1,013 / 1,004
Front Axle Capacity (kg)	1,490	1,490	1,490	1,490	1,490	1,490	1,490	1,490	1,490
Rear Axle Capacity (kg)	1,850	1,850	1,850	1,850	1,850	1,850	1,850	1,850	1,850

Towing Capacity¹

Trailer without brakes (kg)	750	750	750	750	750	750	750	750	750
Trailer with brakes (kg)	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Maximum towball download (kg)	350	350	350	350	350	350	350	350	350

Fuel

Recommended fuel type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel
Fuel tank capacity (litres)	80	80	80	80	80	80	80	80	80
Fuel consumption (combined ADR 81/02) (manual/automatic) (L/100km) ⁹	7.2	7.6	7.6	7.6	7.3 / 7.9	7.3 / 7.9	7.3 / 7.9	7.3/7.9	7.5/8.1
CO ₂ emissions (manual/automatic) (g/km) ⁹	189	200	200	200	192 / 208	192 / 208	192 / 208	192 / 208	197 / 213

Mechanical

Front brakes - ventilated discs	•	•	•	•	•	•	•	•	•
Rear brakes - drum	•	•	•	•	•	•	•	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•	•	•	•	•	•	•	•
Rear suspension - 5-link with shock absorber	•	•	•	•	•	•	•	•	•
Rear suspension - Leaf spring					•				
Power Steering	•	•	•	•	•	•	•	•	•

Wheels/Tyres

17" steel wheels with 255/65/R17 tyres	•	•			•	•			
17" alloy wheels with 255/65/R17 tyres			•				•		
18" alloy tyres with 255/60/R18 tyres				•				•	
17" black PRO-4X Alloy Wheels with 255/65/R17 All Terrain Tyres									•
Full-size spare wheel (steel)	•	•	•		•	•	•		•
Full-size spare wheel (alloy)				•				•	

Interior

Seating capacity	5	5	5	5	5	5	5	5	5
6-way driver seat with manual slide/recline/height adjustment	•	•	•	•	•	•	•	•	•
8-way driver seat with power slide/recline/height adjustment & power lumbar support				Opt				Opt (Auto only)	
4-way front passenger seat with manual slide & recline	•	•	•	•	•	•	•	•	•
Heated front seats				Opt				Opt (Auto only)	
Leather-accented ¹ seat trim				Opt				Opt (Auto only)	
Leather-accented ¹ PRO-4X seat trim									•
Cloth seat trim	•	•	•	•	•	•	•	•	•
Front Seat - Seat Back Pockets				Opt				Opt (Auto only)	
Urethane steering wheel & shifter lever	•	•			•	•			
Leather-accented ¹ steering wheel & shifter lever			•	•			•	•	•
Black interior door handles	•	•			•	•			•
Chrome interior door handles			•	•			•	•	
Rear seat headrest	3	3	3	3	3	3	3	3	3
Vinyl floor coverings - front and rear	•	•			•	•			
Floor carpet - front and rear			•	•			•	•	•
Carpet floor mats - front & rear ¹				•				•	•
Centre console storage	•	•	•	•	•	•	•	•	•
Flip rear seats	•	•	•	•	•	•	•	•	•
Front row cup holders (2)	•	•	•	•	•	•	•	•	•
Second row cup holders in armrest (2)	•	•	•	•	•	•	•	•	•
Day/night rear view mirror with manual anti-dazzle	•	•			•	•			
Day/night rear view mirror with electric anti-dazzle			•	•			•	•	•
Driver & Front Passenger Sun Visors with Illuminated Vanity Mirrors			•	•			•	•	•

NISSAN MY21 NAVARA DUAL CAB SPECIFICATIONS

Specifications

	Dual Cab SL Pick Up 4x2 Manual	Dual Cab SL Pick Up 4x2 Auto	Dual Cab ST Pick Up 4x2 Auto	Dual Cab ST-X Pick Up 4x2 Auto	Dual Cab SL Cab Chassis 4x4	Dual Cab SL Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4	Dual Cab PRO-4X Pick Up 4x4 ^P
Child Safety Rear Door Locks	•	•	•	•	•	•	•	•	•
Tyre Pressure Monitoring System (TPMS)				•				•	•
Speed sensing central locking with anti-lock out	•	•	•	•	•	•	•	•	•
Immobiliser & alarm	•	•	•	•	•	•	•	•	•

Exterior

Halogen headlights & tail lights	•	•			•	•			
LED headlights & tail lights			•	•			•	•	•
LED front fog lights			•	•			•	•	•
2 channel Utili-Track™ system				•				•	•
Tie-down points inside bed (4)	•	•	•	•		•	•	•	•
Black plastic side steps			•	•			•	•	•
Black roof rails									•
Black plastic door mirrors	•	•			•	•			
Body coloured door mirrors			•	•			•	•	•
Black painted door mirrors									•
Heated door mirrors with integrated LED indicator lights			•					•	•
Automatic power folding mirrors				•				•	•
Body coloured front bumper	•	•	•	•	•	•	•	•	•
Black plastic rear bumper	•	•				•			
Body coloured rear bumper			•	•			•	•	•
Tailgate assist	•	•	•	•		•	•	•	•
NAVARA tailgate stamping	•	•	•	•		•	•	•	•
Black plastic door handles	•	•			•	•			
Chrome door handles			•	•			•	•	
Black painted door handles									•
Black plastic V-motion grille	•	•			•	•			
Chrome V-motion grille			•	•			•	•	
Black painted with dark grey surround V-motion grille									•
Privacy Glass (second row and rear windscreen)			•	•			•	•	•
Rear power sliding rear window			•	•			•	•	•
UV & heat rejecting windscreen	•	•	•	•	•	•	•	•	•
Sunroof (electric one-touch power tilt & slide)				Opt				Opt (Auto Only)	
Fender Flares - Black									•
Lockable Fuel Filler Door	•	•	•	•	•	•	•	•	•
Polished stainless steel single tube sportsbar [†]			•				•		
Polished stainless steel double tube sportsbar [†]				•				•	
Black stainless steel double tube sports bar with sail panel [†]									•
Towbar [†]				•				•	•
Tubliner [†]				•				•	•

Colours

Solid White (QM1)	S	S	S	S	S	S	S	S	S
Black Star (G42)	S	S	S	S	S	S	S	S	S
Burning Red (AX6)	P	P	P	P		P	P	P	P
Twilight Grey (K21)	P	P	P	P	P	P	P	P	
Brilliant Silver (K23)	P	P	P	P	P	P	P	P	
White Pearl (QX1)	P	P	P	P		P	P	P	P
Forged Copper (CAU)	P	P	P	P		P	P	P	
Stealth Grey (KBY)									P

Ownership

5 Year Unlimited Kilometre Warranty**	•	•	•	•	•	•	•	•	•
5 year 24-Hour Roadside Assistance Program**	•	•	•	•	•	•	•	•	•
Capped Price Service ^M	•	•	•	•	•	•	•	•	•

Not available

• Standard

S Standard paint

P Premium paint available at extra cost***

Opt Optional

NISSAN MY21 NAVARA DUAL CAB SPECIFICATIONS

- ° IMPORTANT: The specifications for PRO-4X shown throughout are based on overseas models. Some specifications shown may differ from the final Australian models. Please check with your Nissan dealer for final specifications.
- ** GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.
- ~ Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.
- ^ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.
- *** Indicates a premium paint, which is available at extra cost.
- ∞ Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. It is unlikely that this fuel consumption figure will be achieved in real world driving conditions. Actual fuel consumption & CO2 emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted. † Leather accented features and upholstery may contain synthetic material.
- # Gross Combined Mass with braked trailer.
- ^ CarPlay is a registered trademark of Apple Inc. Android Auto is a trademark of Google LMC. Compatible device and USB connection required.
- ‡ Leather accented features and upholstery may contain synthetic material.
- ^ Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit nissan.com.au/service to find out more and for full terms and conditions.
- ++ New Vehicle Warranty expires 60 months from date of first registration. Conditions apply. See nissan.com.au for more details.
- * Nissan Genuine Accessory Fitted to this model.
- †† Terms and conditions apply, please visit nissan.com.au/roadsideassistance.
- † Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle. Towbar Assembly Kit includes towbar cross member, tongue and harness. Tow ball, safety chain and D shackle remain customer cost optional dealer fit accessories.



FINANCIAL
SERVICES

For more information please visit nissan.com.au/owners, ask your Nissan Dealer or phone 1800 035 035 during normal AEST business hours.

All illustrations, information and specifications presented and referred to in this brochure and were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated February 2021.

Follow us: @Nissan_Aus

Like us: Nissan Australia

Check out: NissanAustralia Channel





NISSAN MY21 NAVARA KING CAB SPECIFICATIONS

Specifications

	King Cab SL Cab Chassis 4x2	King Cab SL Cab Chassis 4x4	King Cab SL Pick Up 4x4	King Cab ST-X Pick Up 4x4
Powertrain				
YS23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC	•	•	•	•
Displacement (cc)	2,298	2,298	2,298	2,298
Bore x stroke (mm)	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3
Maximum power (kW@rpm)	140 @ 3,750	140 @ 3,750	140 @ 3,750	140 @ 3,750
Maximum torque (Nm@rpm)	450 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500
Common rail direct injection	•	•	•	•
Transmission				
7-speed automatic with manual mode	•	•	•	•
Transfer Case - Dual Range 4x4 with electronic 4WD selection		•	•	•
Ratio 1st	4.887	4.887	4.887	4.887
Ratio 2nd	3.170	3.170	3.170	3.170
Ratio 3rd	2.027	2.027	2.027	2.027
Ratio 4th	1.412	1.412	1.412	1.412
Ratio 5th	1.000	1.000	1.000	1.000
Ratio 6th	0.864	0.864	0.864	0.864
Ratio 7th	0.775	0.775	0.775	0.775
Reverse gear ratio	4.041	4.041	4.041	4.041
Final drive ratio	3.357	3.357	3.357	3.357
Transfer ratio - low	-	2.717	2.717	2.717
Transfer ratio - high	-	1.000	1.000	1.000
Dimensions				
Overall length (mm)	5,260	5,260	5,260	5,311
Overall width (excl. side mirrors) (mm)	1,850	1,850	1,850	1,850
Overall height (mm)	1,805	1,810	1,810	1,815
Wheelbase (mm)	3,150	3,150	3,150	3,150
Track front/rear (mm)	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570
Min. turning circle (kerb to kerb) (m)	12.6	12.5	12.5	12.5
Ground clearance unladen (mm)	212	224	224	229
Overhang - front (mm)	885	885	885	885
Overhang - rear (mm)	-	-	1,225	1,225
Approach angle (degrees)	31.2	32.4	32.4	33.1
Departure angle (degrees)	24.7	24.5	24.5	18.8
Ramp breakover angle (degrees)	27.0	26.7	23.4	23.7
Wading depth (mm)	600	600	600	600
Cargo Bed - length floor (mm)	-	-	1,851	1,851
Cargo Bed - length top (mm)	-	-	1,788	1,788
Cargo Bed - width floor (mm)	-	-	1,560	1,560
Cargo Bed - width top (mm)	-	-	1,490	1,490
Cargo Bed - width between wheel arches (mm)	-	-	1,134	1,134
Cargo Bed - tailgate opening width (mm)	-	-	1,360	1,360
Cargo Bed - height (mm)	-	-	470	470

NISSAN MY21 NAVARA KING CAB SPECIFICATIONS

Specifications

	King Cab SL Cab Chassis 4x2	King Cab SL Cab Chassis 4x4	King Cab SL Pick Up 4x4	King Cab ST-X Pick Up 4x4
Weights				
Gross Vehicle Mass (GVM ¹) (kg)	2,910	2,910	2,910	2,910
Gross Combined Mass (GCM ²) (kg)	5,910	5,910	5,910	5,910
Kerb mass ³ (kg)	1,733	1,814	1,944	2,039
Payload ⁴ (kg)	1,177	1,096	966	876
Front Axle Capacity (kg)	1,490	1,490	1,490	1,490
Rear Axle Capacity (kg)	1,850	1,850	1,850	1,850
Towing Capacity⁵				
Trailer without brakes (kg)	750	750	750	750
Trailer with brakes (kg)	3,500	3,500	3,500	3,500
Maximum towball download (kg)	350	350	350	350
Fuel				
Recommended fuel type	Diesel	Diesel	Diesel	Diesel
Fuel tank capacity (litres)	80	80	80	80
Fuel consumption (combined cycle ADR 81/02) (L/100km) ⁶	76	78	78	78
CO2 emissions (g/km) ⁷	200	204	204	204
Mechanical				
Front brakes - ventilated discs	•	•	•	•
Rear brakes - drum	•	•	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•	•	•
Rear suspension - Leaf spring	•	•	•	•
Power Steering	•	•	•	•
Wheels/Tyres				
17" steel wheels with 255/65/R17 tyres	•	•	•	
18" alloy tyres with 255/60/R18 tyres				•
Full-size spare wheel (steel)	•	•	•	
Full-size spare wheel (alloy)				•
Interior				
Seating capacity	4	4	4	4
6-way driver seat with manual slide/recline/height adjustment	•	•	•	
8-way driver seat with power slide/recline/height adjustment & power lumbar support				•
4-way front passenger seat with manual slide & recline	•	•	•	•
Heated front seats				•
Cloth seat trim	•	•	•	
Leather-accented ⁸ seat trim				•
Front Seat - Seat Back Pockets				•
Urethane steering wheel & shifter lever	•	•	•	
Leather-accented ⁸ steering wheel				•
Leather-accented ⁸ gear shift lever				•
Black interior door handles	•	•	•	
Chrome interior door handles				•
Rear seat headrest	2	2	2	2
Floor carpet - front and rear	•	•	•	•
Carpet Floor Mats - Front & Rear ⁹				•
Centre console storage	•	•	•	•
Flip rear seats	•	•	•	•
Front row cup holders (2)	•	•	•	•
Day/night rear view mirror with manual anti-dazzle	•	•	•	
Day/night rear view mirror with electric anti-dazzle				•
Driver & Front Passenger Sun Visors with Illuminated Vanity Mirrors				•
Instrumentation				
70" Advanced Drive-Assist Instrument Cluster Display (inc. instant & average fuel economy, distance to empty, average speed)	•	•	•	•
Digital speedometer	•	•	•	•
Ambient temperature gauge	•	•	•	•

NISSAN MY21 NAVARA KING CAB SPECIFICATIONS

Specifications

	King Cab SL Cab Chassis 4x2	King Cab SL Cab Chassis 4x4	King Cab SL Pick Up 4x4	King Cab ST-X Pick Up 4x4
Comfort & Convenience				
Drive Mode Selector (Sport/Off-Road/Tow/Normal)				•
Cruise control	•	•	•	•
Manual tilt adjustable steering column	•	•	•	•
Air conditioning	•	•	•	
Air conditioning with dual zone climate control				•
Rear air vents in centre console	•	•	•	•
Remote keyless entry	•	•	•	
Intelligent Key™ with remote keyless entry				•
Push button engine start with illuminated ignition switch				•
Power adjustable door mirrors	•	•	•	•
Power windows (auto up/down for driver)	•	•	•	•
High beam assist (HBA)				•
Automatic rain sensing wipers				•
Rear window defroster	•	•	•	•
Audio & Connectivity				
8.0" colour touchscreen with Apple CarPlay® and Android Auto™	•	•	•	•
Satellite Navigation				•
Speakers	4	4	4	4
Steering wheel audio controls	•	•	•	•
Bluetooth® handsfree phone system	•	•	•	•
Bluetooth® audio streaming	•	•	•	•
AM/FM radio	•	•	•	•
DAB+ Digital Radio				•
1 x USB-A (Console Tray)	•	•	•	•
1 x USB-A / 1 x USB-C (Centre Console)	•	•	•	•
2 x 12V Outlet (Console Tray / Centre Console)	•	•	•	•
Safety & Security				
7 Airbags (Front, Side Seat, Curtain, Driver Knee)	•	•	•	•
Reversing camera			•	•
Reverse parking sensors				•
Brake Assist (BA)	•	•	•	•
Hill Start Assist (HSA)	•	•	•	•
Hill Descent Control (HDC)		•	•	•
Around View® Monitor with Moving Object Detection (MOD)				•
Intelligent Forward Collision Warning (IFCW)	•	•	•	•
Intelligent Emergency Braking (IEB)	•	•	•	•
Intelligent Driver Alert (IDA)	•	•	•	•
Lane Departure Warning (LDW)				•
Intelligent Lane Intervention (ILI)				•
Blind Spot Warning (BSW)				•
Intelligent Blind Spot Intervention (IBSI)				•
Rear Cross Traffic Alert (RCTA)				•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLS)	•	•	•	•
Traction Control System (TCS)	•	•	•	•
Active Brake Limited Slip (ABLS)	•	•	•	•
Off Road Monitor				•
Trailer Sway Control	•	•	•	•
Electronic Locking Rear Differential		•	•	•
Steel underbody protector (below radiator)	•	•	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•	•	•
Daytime running lights	•	•	•	
LED signature daytime running lights				•
Automatic on/off headlights - twilight detection	•	•	•	•
LED High Mounted Stop Light	•	•	•	•
Tyre Pressure Monitoring System (TPMS)				•
Speed sensing central locking with anti-lock out	•	•	•	•
Immobiliser & alarm	•	•	•	•

NISSAN MY21 NAVARA KING CAB SPECIFICATIONS

Specifications

	King Cab SL Cab Chassis 4x2	King Cab SL Cab Chassis 4x4	King Cab SL Pick Up 4x4	King Cab ST-X Pick Up 4x4
Exterior				
Halogen headlights & tail lights	•	•	•	
LED headlights & tail lights				•
LED front fog lights				•
2 channel Utili-Track™ system				•
Tie-down points inside bed (4)			•	•
Black plastic side steps				•
Black plastic door mirrors	•	•	•	
Body coloured door mirrors				•
Automatic power folding & heated door mirrors & integrated LED indicator lights				•
Body coloured front bumper	•	•	•	•
Body coloured rear bumper				•
Black plastic door handles	•	•	•	
Chrome door handles				•
Black plastic V-motion grille	•	•	•	
Chrome V-motion grille				•
Privacy Glass (Second Row and Rear Windscreen)				•
Rear power sliding rear window				•
UV & heat rejecting windscreen	•	•	•	•
Lockable fuel filler door	•	•	•	•
Towbar†				•
Polished stainless steel double tube sportsbar‡				•
Tubliner‡				•
Paint				
Solid White (QM1)	S	S	S	S
Black Star (G42)			S	S
Burning Red (AX6)			P	P
Twilight Grey (K21)	P	P	P	P
Brilliant Silver (K23)	P	P	P	P
White Pearl (QX1)			P	P
Forged Copper (CAU)			P	P
Ownership				
5 Year Unlimited Kilometre Warranty**	•	•	•	•
5 year 24-Hour Roadside Assistance Program**	•	•	•	•
Capped Price Service ^M	•	•	•	•

Not available

Standard

S Standard paint

P Premium paint available at extra cost^{***}

NISSAN MY21 NAVARA KING CAB SPECIFICATIONS

- ^{**} GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.
- ^{*} Nissan Genuine Accessory Fitted to this model.
- ⁻ Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.
- [^] Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate).
Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.
- ^{***} Indicates a premium paint, which is available at extra cost.
- ^{**} Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. It is unlikely that this fuel consumption figure will be achieved in real world driving conditions. Actual fuel consumption & CO2 emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.
- [†] Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle. Towbar Assembly Kit includes towbar cross member, tongue and harness. Tow ball, safety chain and D shackle remain customer cost optional dealer fit accessories.
- [^] CarPlay is a registered trademark of Apple Inc. Android Auto is a trademark of Google LMC. Compatible device and USB connection required.
- [#] Gross Combined Mass with braked trailer.
- [†] Leather-accented features and upholstery may contain synthetic material.
- ^m Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit nissan.com.au/service to find out more and for full terms and conditions.
- ^{**} New Vehicle Warranty expires 60 months from date of first registration. Conditions apply. See nissan.com.au for more details.
- ^{**} Terms and conditions apply, please visit nissan.com.au/roadsideassistance.



FINANCIAL
SERVICES

For more information please visit nissan.com.au/owners, ask your Nissan Dealer or phone 1800 035 035 during normal AEST business hours.

All illustrations, information and specifications presented and referred to in this brochure are for and were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated February.

Follow us: @Nissan_Aus

Like us: Nissan Australia

Check out: NissanAustralia Channel





NISSAN

NISSAN MY21 NAVARA SINGLE CAB SPECIFICATIONS

Specifications

	Single Cab SL Cab Chassis 4x2 Manual	Single Cab SL Cab Chassis 4x2 Auto	Single Cab SL Cab Chassis 4x4
Powertrain			
YS23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC		•	•
YS23DDT 2.3 litre intercooled single turbo-diesel, DOHC	•		
Displacement (cc)	2,298	2,298	2,298
Bore x stroke (mm)	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3
Maximum power (kW@rpm)	120 @ 3,750	140 @ 3,750	140 @ 3,750
Maximum torque (Nm@rpm)	403 @ 1,500-2,500	450 @ 1,500-2,500	450 @ 1,500-2,500
Common rail direct injection	•	•	•
Transmission			
6-speed manual	•		•
7-speed automatic with manual mode		•	Opt
Transfer Case - Dual Range 4x4 with electronic 4WD selection			•
Ratio 1st (manual/automatic)	4.685	4.887	4.685 / 4.887
Ratio 2nd (manual/automatic)	2.479	3.170	2.479 / 3.170
Ratio 3rd (manual/automatic)	1.624	2.027	1.624 / 2.027
Ratio 4th (manual/automatic)	1.208	1.412	1.208 / 1.412
Ratio 5th (manual/automatic)	1.000	1.000	1.000 / 1.000
Ratio 6th (manual/automatic)	0.809	0.864	0.809 / 0.864
Ratio 7th (automatic)	-	0.775	0.775
Reverse gear ratio (manual/automatic)	4.709	4.041	4.709 / 4.041
Final drive ratio (manual/automatic)	3.692	3.357	3.692 / 3.357
Transfer ratio - low			2.717
Transfer ratio - high			1.000
Dimensions			
Overall length (mm)	5,120	5,120	5,120
Overall width (excl. side mirrors) (mm)	1,850	1,850	1,850
Overall height (mm)	1,765	1,765	1,770
Wheelbase (mm)	3,150	3,150	3,150
Track front/rear (mm)	1,570 / 1,570	1,570 / 1,570	1,570 / 1,570
Min. turning circle (kerb to kerb) (m)	12.6	12.6	12.5
Ground clearance unladen (mm)	212	212	224
Overhang - front (mm)	885	885	885
Approach angle (degrees)	31.1	31.1	32.1
Departure angle (degrees)	29.2	29.2	28.8
Ramp breakover angle (degrees)	23.4	23.4	24.2
Wading depth (mm)	600	600	600
Weights			
Gross Vehicle Mass (GVM**) (kg)	2,910	2,910	2,910
Gross Combined Mass (GCM*) (kg)	5,910	5,910	5,910
Kerb mass - manual/automatic (kg)	1,628	1,654	1,724 / 1,735
Payload ^d manual/automatic (kg)	1,282	1,256	1,186 / 1,175
Front Axle Capacity (kg)	1,490	1,490	1,490
Rear Axle Capacity (kg)	1,850	1,850	1,850

IMPORTANT: The specifications for Single Cab grades shown throughout are based on overseas models. Some specifications shown may differ from the final Australian models. Please check with your Nissan dealer for final specifications.

NISSAN MY21 NAVARA SINGLE CAB SPECIFICATIONS

Specifications

	Single Cab SL Cab Chassis 4x2 Manual	Single Cab SL Cab Chassis 4x2 Auto	Single Cab SL Cab Chassis 4x4
Towing Capacity¹			
Trailer without brakes (kg)	750	750	750
Trailer with brakes (kg)	3,500	3,500	3,500
Maximum towball download (kg)	350	350	350
Fuel			
Recommended fuel type	Diesel	Diesel	Diesel
Fuel tank capacity (litres)	80	80	80
Fuel consumption (combined cycle ADR 81/02) (manual/automatic) (L/100km) **	72	76	72 / 78
CO2 emissions (manual/automatic) (g/km) **	189	200	188 / 204
Mechanical			
Front brakes - ventilated discs	•	•	•
Rear brakes - drum	•	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•	•
Rear suspension - Leaf spring	•	•	•
Power Steering	•	•	•
Wheels/Tyres			
17" steel wheels with 255/65/R17 tyres	•	•	•
Full-size spare wheel (steel)	•	•	•
Interior			
Cloth seat trim	•	•	•
6-way driver seat with manual slide/recline/height adjustment	•	•	•
4-way front passenger seat with manual slide & recline	•	•	•
Seating capacity	2	2	2
Urethane steering wheel & shifter lever	•	•	•
Black interior door handles	•	•	•
Vinyl floor coverings	•	•	•
Centre console storage	•	•	•
Front row cup holders (2)	•	•	•
Day/night rear view mirror with manual anti-dazzle	•	•	•
Instrumentation			
70" Advanced Drive-Assist Instrument Cluster Display (inc: instant & average fuel economy, distance to empty, average speed)	•	•	•
Digital speedometer	•	•	•
Ambient temperature gauge	•	•	•
Comfort & Convenience			
Cruise control	•	•	•
Manual tilt adjustable steering column	•	•	•
Air conditioning	•	•	•
Remote keyless entry	•	•	•
Power adjustable door mirrors	•	•	•
Power windows (auto up/down for driver)	•	•	•
Rear window defroster	•	•	•
Audio & Connectivity			
8.0" colour touchscreen with Apple CarPlay® and Android Auto™™	•	•	•
Speakers	4	4	4
Steering wheel audio controls	•	•	•
Bluetooth® handsfree phone system	•	•	•
Bluetooth® audio streaming	•	•	•
AM/FM radio	•	•	•
1 x USB-A (Console Tray)	•	•	•
2 x 12V Outlet (Console Tray / Centre Console)	•	•	•

NISSAN MY21 NAVARA SINGLE CAB SPECIFICATIONS

Specifications

	Single Cab SL Cab Chassis 4x2 Manual	Single Cab SL Cab Chassis 4x2 Auto	Single Cab SL Cab Chassis 4x4
Safety/Security			
7 Airbags (Front, Side Seat, Curtain, Driver Knee)	•	•	•
Intelligent Forward Collision Warning (IFCW)	•	•	•
Intelligent Emergency Braking (IEB)	•	•	•
Intelligent Driver Alert (IDA)	•	•	•
Hill Start Assist (HSA)	•	•	•
Hill Descent Control (HDC)			•
Traction Control System (TCS)	•	•	•
Electronic Locking Rear Differential			•
Brake Assist (BA)	•	•	•
Predictive Forward Collision Warning (PFCW)	•	•	•
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution	•	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSL)	•	•	•
Active Brake Limited Slip (ABLS)	•	•	•
Trailer Sway Control	•	•	•
Steel underbody protector (below radiator)	•	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•	•
Daytime running lights	•	•	•
Automatic on/off headlights	•	•	•
LED High Mounted Stop Light	•	•	•
Speed sensing central locking with anti-lock out	•	•	•
Immobiliser & Alarm	•	•	•
Exterior			
Halogen headlights & tail lights	•	•	•
Black plastic door mirrors	•	•	•
Body coloured front bumper	•	•	•
Black plastic door handles	•	•	•
Black plastic V-motion grille	•	•	•
UV & heat rejecting windscreen	•	•	•
Lockable fuel lid	•	•	•
Paint			
Solid White (QM1)	S	S	S
Twilight Grey (K21)	P	P	P
Brilliant Silver (K23)	P	P	P
Ownership			
5 Year Unlimited Kilometre Warranty**	•	•	•
5 year 24-Hour Roadside Assistance Program**	•	•	•
Capped Price Service ^M	•	•	•

• Standard
 S Standard paint
 P Premium paint available at extra cost***

NISSAN MY21 NAVARA SINGLE CAB SPECIFICATIONS

- GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.
- ™ Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.
 - △ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.
 - ... Indicates a premium paint, which is available at extra cost.
 - ° Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. It is unlikely that this fuel consumption figure will be achieved in real world driving conditions. Actual fuel consumption & CO2 emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.
 - † Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.
 - ^ CarPlay is a registered trademark of Apple Inc. Android Auto is a trademark of Google LMC. Compatible device and USB connection required.
 - # Gross Combined Mass with braked trailer.
 - ™ Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit nissan.com.au/service to find out more and for full terms and conditions.
 - ** New Vehicle Warranty expires 60 months from date of first registration. Conditions apply. See nissan.com.au for more details.
 - ** Terms and conditions apply, please visit nissan.com.au/roadsideassistance.



FINANCIAL
SERVICES

For more information please visit nissan.com.au/owners, ask your Nissan Dealer or phone 1800 035 035 during normal AEST business hours.

All illustrations, information and specifications presented and referred to in this brochure and were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated February 2021.

Follow us: @Nissan_Aus

Like us: Nissan Australia

Check out: NissanAustralia Channel

